					 								 	4	Pitch [deg]										İ	-3TM-L	
													! ! ! !		85												
													† ! ! !		80					 	† !					-	
															75						†						
 													÷ ! !		70												
 									·				i !		65						ļ						
 									·				i 		60			 			i !	i ! !					
 							 						i † ! !		55							i 					
 									·				 		50												
 							 		·				 		45			 				 					
 							 						i + !	 	40							 	 				
		 		·	 - 		 	·	 				 	 	35					- - - -		 	 				
					 				<u> </u>				 	 	30						¦	 					
 								·	·				! ! ! + ! !	 	25							<u> </u> 					
 				·	 				·				! ! ! ! !		20					- - - !	ļ						ļ
 															15						 	 					
 															10					 		 				-	
 													 		5					- - -	ļ 					-	
-850	-800	-750	-700 -	650 -	600 -	-550 -500 -450	-400 -	350 -	-300 -	-250	-200	-150	-100	-50	0 50 100 150	200	250 30	350	400	450	500	550	600	650 700	750	Heav 800	/e [mm]
 							<u> </u>								-5					 		 	 			-	
 							ļ 						i 		-10			 		 	ļ 	 	 			-	
 																-										¦ 	<u> </u>
 			i	i			; :	·	·		 		¦ !	: 	-15					- - - -		¦	; 			İ	i
 	!!												i ! ! ! !		1 4 - : : : : : :											 	
 ! !													 		-15					 	 	 					
ļ													 		-20											 - - 	
															-15 -20 -25												
															-20 -25 -30												
															-20 -25 -30 -40												
															-20 -25 -30 -40												
															-20 -25 -30 -40 -45												
															-25 -30 -35 -40 -50												
															-20 -25 -30 -35 -40 -45 -50 -60												
															-20 -25 -30 -35 -40 -45 -50 -55 -60												
															-20 -25 -30 -35 -40 -45 -50 -60 -65												
															-20 -25 -30 -35 -40 -45 -50 -60												
															-20 -25 -30 -35 -40 -45 -50 -60 -65												

															4	Roll [deg]		 								İ	-3TM-L	
																85												
														† !		80									 			
														† 		75												
																70												
														ļ		65				ļ					 			J
										·				i		60				 							- 	
										·					 	55				 	 			 				
																50									ļ			<u> </u>
								 		·	 					45									 			
								 						 		40				 	 			 	 			
								ļ		·				 		35		 			 			 	 			
			 	 		 			 		 			! ! ! ! !		30				 !				 	 			ļ
														 		25									 			
										·						20				 !				 				<u> </u>
								ļ 							 	15				ļ 					 			
																10	-			ļ 								<u> </u>
								ļ		·						5	-											ļ
	-850	-800	-750	700 -	650 -	600 -	550 -500 -450	-400	-350	-300 -	250	-200	-150	-100	-50	0 50 100 150	200	250 300	350	400	450	500	550	600	650 700	750	Heav 800	/e [mm]
								<u> </u>		·						-5				<u> </u>	 			 	ļ 			<u> </u>
								ļ 								-10			 	ļ 	 			 	<u> </u>		- - !	ļ
										 				¦ 	: .	7				ļ 					 			<u> </u>
												i i				-15			i				i i					<u> </u>
				!	- 1	i		; ;				 		 		-20				<u> </u> 		 		 			- 	1
								ļ 																				
	ı	 												 		-20				 								
ŀ																-20 -25												
																-25 -30												
																-20 -25 -30 -40												
																-25 -30 -40 -45												
																-25 -30 -40 -45												
																-25 -30 -35 -40 -45 -50												
																-25 -30 -35 -40 -45 -50												
																-20 -25 -30 -35 -40 -45 -50 -55 -60												
																-20 -25 -30 -35 -40 -45 -50 -60 -65												
																-25 -30 -35 -40 -45 -50 -55												
																-20 -25 -30 -35 -40 -45 -50 -60 -65												

